

KT-TDL6M/KT-TDL6MR Bench top Low Speed Refrigerated Centrifuge

**Features:**

1. Microcomputer control, AC brushless AC variable frequency motor drive, stable and quiet operation.
2. Adopt LED / LCD to display the parameters: speed, eccentricity, temperature and time. The parameters can be set at any time during operation without shutting down.
3. The RCF value and rotation speed of centrifugal force can be set separately, which can be switched with one key and can be observed at any time.
4. The use of electronic door locks has strong safety performance, if the door is not closed properly, and the centrifuge cannot be started.
5. Equipped with a variety of pipe racks, pipe racks, adapters, multi-purpose machine.

Application:

separation and purification of radioimmunology, clinical medicine, biochemistry, biopharmaceuticals, and blood products.

Technical Data

Model NO	KT-TDL6M(LED)/KT-TDL6MR(LCD)
Max Speed	6000 rpm
Max RCF	5350 xg
Max Capacity	4*800ml
Speed Accuracy	± 10rpm
Temperature Range	-20°C ~+40°C
Temperature Accuracy	± 1°C
Timer Range	1~99min/9h59min
Display	LED/LCD
Motor	Brushless AC frequency conversion
Power Supply	AC 220V 50HZ 10A
Compressed nits	imported environmentally friendly refrigerant
Output Power	1KW
Noise	≤60dB (A)
Net Weight	110kg
Device Dimension	600*700*450mm (L* W* H)

Optional Rotors (customized rotor available)

NO	ITEM	MAX SPEED(rpm)	MAX RCF(xg)	VOLUME(ml)	TUBE SIZE(mm)
N0.1	Angle rotor	6000rpm	5350xg	12*10ml	Ø 16*87
N0.2	Angle rotor	5000rpm	2540xg	6*15ml	Ø 168*118
N0.3	Angle rotor	5000rpm	3080xg	12*15ml	Ø 16*118
N0.4	Angle rotor	5000rpm	3515xg	24*15ml	Ø 16*118
N0.5	Angle rotor	5000rpm	3830xg	30*15ml	Ø 16*118
N0.6	Angle rotor	5000rpm	2520xg	4*50ml	Ø 29*106
N0.7	Angle rotor	5000rpm	2850xg	6*50ml	Ø 29*106
N0.8	Angle rotor	5000rpm	2630xg	4*100ml	Ø 37*124
N0.9	Angle rotor	5000rpm	3130xg	6*100ml	Ø 37*124
N0.10	Horizontal rotor(auto decap)	4000rpm	2960xg	4*12*5/7ml blood tube	Ø 13*95
N0.11	Horizontal rotor(auto decap)	4000rpm	3350xg	4*18*5/7ml blood tube	Ø 13*95
N0.12	Horizontal rotor(auto decap)	4000rpm	3470xg	4*24*5/7ml blood tube	Ø 13*95
N0.13	Horizontal rotor(auto decap)	4000rpm	3470xg	4*25*5/7ml blood tube	Ø 13*95
N0.14	Horizontal rotor(auto decap)	4000rpm	3470xg	4*30*5/7ml blood tube	Ø 13*95
N0.15	Horizontal rotor body	4000rpm	2820xg	Rotor body	-
N0.15	Tube rack	4000rpm	2820xg	4*4*10/15ml	Ø 16*135
N0.15	Tube rack	4000rpm	2820xg	4*6*10/15ml	Ø 16*135
N0.15	Tube rack	4000rpm	2820xg	4*8*10/15ml	Ø 16*135
N0.15	Tube rack	4000rpm	2820xg	4*1*50ml	Ø 29*125
N0.15	Tube rack	4000rpm	2820xg	4*2*50ml	Ø 29*125
N0.15	Tube rack	4000rpm	2820xg	4*2*100ml	Ø 37*124
N0.16	Horizontal rotor	4000rpm	3016xg	4*250ml 4 hanging cups	Ø 64*125
N0.16	Adapter	4000rpm	3016xg	4*8*5/7 ml	Ø 13x95
N0.16	Adapter	4000rpm	3016xg	4*8*10/15ml	Ø 16x135
N0.16	Adapter	4000rpm	3016xg	4*2*50ml	Ø 29*106
N0.16	Adapter	4000rpm	3016xg	4*1*100ml	Ø 37*124
N0.16	Adapter	4000rpm	3016xg	4*2*100ml	Ø 37*124
N0.17	Horizontal rotor	4000rpm	3515xg	4 x 500ml 4 hanging cups	Ø 78*150
N0.17	Adapter	4000rpm	3515xg	4*4*50ml	Ø 37*124
N0.17	Adapter	4000rpm	3515xg	4*12*5/7ml	Ø 13*95
N0.17	Adapter	4000rpm	3515xg	4*16*5/7ml	Ø 16*87
N0.17	Adapter	4000rpm	3515xg	4*16*10/15ml	Ø 29*106
N0.17	Adapter	4000rpm	3515xg	4*1*250ml	Ø 64*114
N0.17	Adapter	4000rpm	3515xg	4*2*100ml	Ø 37*124
N0.17	Adapter	4000rpm	3515xg	4*3*100ml	Ø 37 * 124
N0.18	Horizontal square hanging cup rotor	4000rpm	3157xg	4*800ml 4 hanging cups	Ø 98.5*140
N0.18	Adapter	4000rpm	3157xg	4*18*5/7ml	Ø 13*95
N0.18	Adapter	4000rpm	3157xg	4*18*10/15ml	Ø 16*87
N0.18	Adapter	4000rpm	3157xg	4*6*50ml	Ø 29*106
N0.18	Adapter	4000rpm	3157xg	4*2*100ml	Ø 37*124
N0.18	Adapter	4000rpm	3157xg	4*3*100ml	Ø 37*124
N0.18	Adapter	4000rpm	3157xg	4*4*100ml	Ø 37*124
N0.18	Adapter	4000rpm	3157xg	4*1*250ml	Ø 64*114
N0.19	Horizontal hanging bucket rotor	4000rpm	3215xg	4*12*5/7 ml	Ø 13*95
NO.20	Horizontal hanging bucket rotor	4000rpm	3215xg	4*18*5/7ml	Ø 13*95
N0.21	Horizontal round hanging cup rotor	4000rpm	3215xg	4*24*5/7ml	Ø 13*95
NO.22	Horizontal ELISA plate rotor	4000rpm	2310xg	2*2*48ml	-
NO.23	Horizontal ELISA plate rotor	4000rpm	2310xg	2*2*96ml	-
NO.24	Horizontal ELISA plate rotor	4000rpm	2490xg	4*2*96ml	-
NO.25	Horizontal ELISA plate rotor	4000rpm	2850xg	4*4*96ml	-